

Made for meals together.

Air fryers & electric pressure cookers

A versatile kitchen collection for retail and distribution partners all over the world.



AIR FRYERS



PRESSURE COOKERS

25 MODELS. MORE CHOICE.

From compact 4 L air fryers to 15 L formats, plus 5 L and 6 L pressure cooker options. Build a range around the way your customers cook.

ENGLISH EXPORT COLLECTION

Build a range with purpose.

Everyday convenience, shareable meals and a clear choice of formats.

01 Everyday essentials

Compact formats for smaller kitchens and everyday portions. Offer a clear starting point in your kitchen appliance range.

02 Made for sharing

Explore larger formats for family gatherings. Present serving ideas such as chicken, roast vegetables and sides for a braai or barbecue.

03 Familiar food. Fresh possibilities.

Pair the collection with locally relevant recipe content: rice dishes, beans, stews and family favourites. Recipe ideas are inspiration; settings and suitability must be validated for each model.

A CLEARER BUYING JOURNEY

Choose capacity, control style and appearance first. Then confirm the electrical configuration, packaging and destination requirements before placing an order.

AIR FRYERS 03-08 | PRESSURE COOKERS 09-11

Everyday air fryers

Compact and family-size options.



KZG31

A compact choice for everyday meals.

CAPACITY / POWER	4.5 L / 900 / 1400 W
CONTROL	Digital touch
MATERIALS	PP housing; food-grade coated inner pot
GROSS WEIGHT	4 kg
MASTER CARTON	630 x 314 x 710 mm / 4 units
40' HQ LOAD	2,008 units



KZG61

More capacity for meals to share.

CAPACITY / POWER	8 L / 900 / 1400 W
CONTROL	Digital touch
MATERIALS	PP housing; food-grade coated inner pot
GROSS WEIGHT	4 kg
MASTER CARTON	615 x 380 x 692 mm / 4 units
40' HQ LOAD	1,728 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

10 L / Black collection

Four digital designs. One consistent capacity.

KZG21



Capacity / Power: 10 L / 900 / 1400 W

Control: Digital touch

Materials: PP housing; food-grade inner pot

Gross Weight: 4.6 kg

Master Carton: 673 x 378 x 685 mm / 4 units

40' Hq Load: 1,624 units

KZG2A



Capacity / Power: 10 L / 900 / 1400 W

Control: Digital touch

Materials: PP housing; food-grade inner pot

Gross Weight: 4.6 kg

Master Carton: 673 x 378 x 685 mm / 4 units

40' Hq Load: 1,624 units

KZG22



Capacity / Power: 10 L / 900 / 1400 W

Control: Digital touch

Materials: PP housing; food-grade inner pot

Gross Weight: 4.6 kg

Master Carton: 673 x 378 x 685 mm / 4 units

40' Hq Load: 1,624 units

KZG2C



Capacity / Power: 10 L / 900 / 1400 W

Control: Digital touch

Materials: PP housing; food-grade inner pot

Gross Weight: 4.6 kg

Master Carton: 673 x 378 x 685 mm / 4 units

40' Hq Load: 1,624 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

10 L / Metallic-look collection

A choice of front panels and window designs.

KZG23



Capacity / Power: 10 L / 900 / 1400 W
Control: Digital touch
Materials: PP housing; food-grade inner pot
Gross Weight: 4.6 kg
Master Carton: 673 x 378 x 685 mm / 4 units
40' Hq Load: 1,624 units

KZG2D



Capacity / Power: 10 L / 900 / 1400 W
Control: Digital touch
Materials: PP housing; food-grade inner pot
Gross Weight: 4.6 kg
Master Carton: 673 x 378 x 685 mm / 4 units
40' Hq Load: 1,624 units

KZG24



Capacity / Power: 10 L / 900 / 1400 W
Control: Digital touch
Materials: PP housing; food-grade inner pot
Gross Weight: 4.6 kg
Master Carton: 673 x 378 x 685 mm / 4 units
40' Hq Load: 1,624 units

KZG2E



Capacity / Power: 10 L / 900 / 1400 W
Control: Digital touch
Materials: PP housing; food-grade inner pot
Gross Weight: 4.6 kg
Master Carton: 673 x 378 x 685 mm / 4 units
40' Hq Load: 1,624 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Mechanical control collection

Tactile controls across compact and 10 L formats.



KZG26

A tactile control option for your range.

CAPACITY / POWER	10 L / 900 / 1400 W
CONTROL	Dual mechanical knobs
MATERIALS	Stainless steel housing; food-grade inner pot
GROSS WEIGHT	4.8 kg
MASTER CARTON	673 x 378 x 685 mm / 4 units
40' HQ LOAD	1,624 units



KZG28

A tactile control option for your range.

CAPACITY / POWER	10 L / 900 / 1400 W
CONTROL	Dual mechanical knobs
MATERIALS	Stainless steel housing; food-grade inner pot
GROSS WEIGHT	4.8 kg
MASTER CARTON	673 x 378 x 685 mm / 4 units
40' HQ LOAD	1,624 units



KZG51

Compact format. Simple control.

CAPACITY / POWER	4 L / 700 W
CONTROL	Mechanical
MATERIALS	PP housing; food-grade coated inner pot
GROSS WEIGHT	2.8 kg
MASTER CARTON	830 x 335 x 565 mm / 6 units
40' HQ LOAD	2,676 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Glass inner-pot collection

Bring the cooking process into view.



KZG32

A clear view of everyday cooking.

CAPACITY / POWER	4.5 L / 900 / 1400 W
CONTROL	Digital touch
MATERIALS	PP housing; high-borosilicate glass inner pot
GROSS WEIGHT	4.6 kg
MASTER CARTON	642 x 316 x 719 mm / 4 units
40' HQ LOAD	2,008 units



KZG82

A distinctive glass-bowl format.

CAPACITY / POWER	5 L / 1400 W
CONTROL	Digital touch
MATERIALS	PP housing; high-borosilicate glass inner pot
GROSS WEIGHT	4.8 kg
MASTER CARTON	600 x 360 x 600 mm / 4 units
40' HQ LOAD	2,100 units



KZG81

Glass detail in a compact footprint.

CAPACITY / POWER	4 L / 700 W
CONTROL	Digital touch
MATERIALS	PP housing; high-borosilicate glass inner pot
GROSS WEIGHT	4 kg
MASTER CARTON	735 x 300 x 618 mm / 6 units
40' HQ LOAD	3,000 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

15 L / Large-format collection

Expand your family cooking assortment.



KZG91

Large capacity for family occasions.

CAPACITY / POWER	15 L / 900 / 1400 W
CONTROL	Digital touch
MATERIALS	PP housing; stainless steel inner pot
GROSS WEIGHT	4.7 kg
MASTER CARTON	695 x 375 x 432 mm / 2 units
40' HQ LOAD	1,220 units



KZG11

A larger format for a broader range.

CAPACITY / POWER	15 L / 800 / 1700 W
CONTROL	Digital touch
MATERIALS	PP housing; stainless steel inner pot
GROSS WEIGHT	6 kg
MASTER CARTON	650 x 430 x 355 mm / 2 units
40' HQ LOAD	1,348 units

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Pressure cookers / Classic

Three digital designs with PP and stainless steel housings.



DYG93

Rice, beans and shared family meals.

CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	PP and stainless steel housing
GROSS WEIGHT	4 kg
MASTER CARTON	313x313x332mm
40' HQ LOAD	1952pcs



DYG92

Rice, beans and shared family meals.

CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	PP and stainless steel housing
GROSS WEIGHT	4 kg
MASTER CARTON	313x313x332mm
40' HQ LOAD	1952pcs



DYG91

Rice, beans and shared family meals.

CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	PP and stainless steel housing
GROSS WEIGHT	4 kg
MASTER CARTON	313x313x332mm
40' HQ LOAD	1952pcs

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Pressure cookers / Contemporary

Two digital designs. 5 L or 6 L capacity options.

DYG62

Rice, beans and shared family meals.



CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	PP and stainless steel housing
GROSS WEIGHT	4 kg
MASTER CARTON	313x313x332mm
40' HQ LOAD	1952pcs

DYG61

Rice, beans and shared family meals.



CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	PP and stainless steel housing
GROSS WEIGHT	4 kg
MASTER CARTON	313x313x332mm
40' HQ LOAD	1952pcs

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Pressure cookers / Plastic housing

Two digital designs with all-plastic housings.



DYG12

Rice, beans and shared family meals.

CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	All-plastic housing
GROSS WEIGHT	4 kg
MASTER CARTON	340x331x308mm
40' HQ LOAD	1867PCS



DYG11

Rice, beans and shared family meals.

CAPACITY / POWER	5 / 6 L / 900 W
CONTROL	Digital touch
MATERIALS	All-plastic housing
GROSS WEIGHT	4 kg
MASTER CARTON	340x331x308mm
40' HQ LOAD	1867PCS

Voltage configurations listed in source: 100-240 V. Confirm the ordered rating; universal-input operation is not established.

Air fryer range at a glance.

Compare capacity, power options and shipment planning data.

MODEL	LITRES	POWER (W)	G.W. (kg)	40' HQ	CARTON (mm) / QTY
KZG31	4.5	900 / 1400	4	2,008	630 x 314 x 710 / 4
KZG61	8	900 / 1400	4	1,728	615 x 380 x 692 / 4
KZG21	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG2A	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG22	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG2C	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG23	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG2D	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG24	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG2E	10	900 / 1400	4.6	1,624	673 x 378 x 685 / 4
KZG26	10	900 / 1400	4.8	1,624	673 x 378 x 685 / 4
KZG28	10	900 / 1400	4.8	1,624	673 x 378 x 685 / 4
KZG51	4	700	2.8	2,676	830 x 335 x 565 / 6
KZG32	4.5	900 / 1400	4.6	2,008	642 x 316 x 719 / 4
KZG82	5	1400	4.8	2,100	600 x 360 x 600 / 4
KZG81	4	700	4	3,000	735 x 300 x 618 / 6
KZG91	15	900 / 1400	4.7	1,220	695 x 375 x 432 / 2
KZG11	15	800 / 1700	6	1,348	650 x 430 x 355 / 2

G.W. = gross weight as listed in the source. Carton dimensions are reproduced in the supplied order; dimension-axis labels were not provided. Load quantities are source estimates and should be reconfirmed for the final packing plan.

Power values separated by a slash are source-listed options; confirm the exact configuration when ordering.

Pressure cooker range.

5 L / 6 L options across seven digital designs.

MODEL	CAPACITY	POWER	G.W.	HOUSING
DYG93	5 / 6 L	900 W	4 kg	PP + stainless steel
DYG92	5 / 6 L	900 W	4 kg	PP + stainless steel
DYG91	5 / 6 L	900 W	4 kg	PP + stainless steel
DYG62	5 / 6 L	900 W	4 kg	PP + stainless steel
DYG61	5 / 6 L	900 W	4 kg	PP + stainless steel
DYG12	5 / 6 L	900 W	4 kg	Plastic
DYG11	5 / 6 L	900 W	4 kg	Plastic

MAKE THE COLLECTION YOUR OWN

Customisation is indicated for the pressure cooker series in the source catalogue. Discuss the scope, order quantity, cost and lead time for your chosen models.

Plan your briefing around brand artwork, colour preferences, control-panel language and packaging. These are discussion points; availability is subject to supplier confirmation.

Pressure cooker carton dimensions and container loads were not supplied. Request a final packing specification before ordering.

Turn your selection into an order.

A practical briefing guide for importers, distributors and retail buyers.

01 Select your assortment

List the model codes, capacities, colours and quantity required for each item.

02 Confirm your destination

Specify the destination country and required voltage, frequency, plug type and labelling language. Confirm applicable certification and documentation with the supplier.

03 Prepare your retail story

Use English copy for this collection. For South American campaigns, plan Spanish or Portuguese packaging and recipe content according to the destination market.

04 Approve the final specification

Request samples, the agreed electrical ratings, materials documentation, packaging artwork, packing quantities and commercial terms before production.

YOUR NEXT STEP

Send your preferred model list, target market and order quantity to your sales representative for a tailored quotation.